

Get a Quote

## Overview

JL357A is an Aruba 2540 48G PoE+ 4SFP+ Switch. Designed for the digital workplace, the Aruba 2540 Switch Series is optimized for mobile users. With advanced security and network management tools — Aruba ClearPass Policy Manager and Aruba AirWave — this Layer 2 access switch is easy to deploy and manage.


### Quick Spec

Table 1 shows the quick spec.

<b>Model</b>	JL357A
<b>Ports</b>	(48) RJ-45 autosensing 10/100/1000 PoE+ ports (4) SFP+ 1/10GbE ports PHY-less
<b>Memory and processor</b>	Dual Core ARM Coretex A9 @ 1016 MHz 1 GB DDR3 SDRAM Packet buffer size: 12.38 MB 4.5MB Ingress/7.875MB Egress 4 GB eMMC
<b>Latency</b>	1000 Mb Latency: < 3.8 $\mu$ s 10 Gbps Latency: < 1.6 $\mu$ s
<b>Throughput</b>	up to 112 Mpps
<b>Switching capacity</b>	176 Gbps
<b>PoE capability</b>	370 W PoE+

### Product Details

Figure 1 shows the front view of JL357A.



Note:

(1)	(2)	(3)
SFP+ ports	10/100/1000Base-T RJ-45 ports	RJ Serial Console

### Compare to Similar Item

Table 2 shows the comparison.

<b>Model</b>	JL357A	<a href="#">J9772A</a>
--------------	--------	------------------------

<b>Ports</b>	(48) RJ-45 autosensing 10/100/1000 PoE+ ports (4) SFP+ 1/10GbE ports PHY-less	· 48 RJ-45 autosensing 10/100/1000 PoE+ ports · 4 fixed Gigabit Ethernet SFP ports · 1 Dual-personality (RJ-45 or USB micro-B) serial console port.
<b>Throughput</b>	up to 112 Mpps	Up to 77.3 million pps (64-byte packets)
<b>Switching capacity</b>	176 Gbps	104 Gb/s
<b>PoE capability</b>	370 W PoE+	382 W

## Get More Information

Do you have any question about the JL357A?

Contact us now via [Live Chat](#) or [sales@router-switch.com](mailto:sales@router-switch.com).

## Specification

JL357A Specification	
<b>Ports</b>	(48) RJ-45 autosensing 10/100/1000 PoE+ ports (4) SFP+ 1/10GbE ports PHY-less
<b>Memory and processor</b>	Dual Core ARM Cortex A9 @ 1016 MHz 1 GB DDR3 SDRAM Packet buffer size: 12.38 MB 4.5MB Ingress/7.875MB Egress 4 GB eMMC
<b>Latency</b>	1000 Mb Latency: < 3.8 $\mu$ s 10 Gbps Latency: < 1.6 $\mu$ s
<b>Throughput</b>	up to 112 Mpps
<b>Switching capacity</b>	176 Gbps
<b>PoE capability</b>	370 W PoE+
<b>Management features</b>	Aruba AirWave Network Management IMC - Intelligent Management Center Command-line interface Web browser Configuration menu SNMP manager Telnet RMON1 FTP Out-of-band management (serial RS-232C or micro USB)
<b>Input voltage</b>	100 - 127 / 200 - 240 VAC, rated
<b>Power consumption</b>	459 W (maximum)
<b>Heat dissipation</b>	1566 BTU/hr (1652.13 kJ/hr)
<b>Product dimensions (H x W x D)</b>	17.42 x 11.98 x 1.73 in
<b>Weight</b>	17.49 KG

## Want to Buy

Order Now

Get a Quote

# Why Router-switch.com

---

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

## Contact Us

---

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)